Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. East

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 095

| | G | irowth Inc | licators by I | Race/Ethn | icity and A | ge ⁽³⁾ | | | |
|--------------------------------|--------|----------------------|---------------|-----------------|-------------|--------------------|------------------------|-------------------|------------|
| | | Short Stature (4) | | Underweight (5) | | ight | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % <u>≥</u> 95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 402 | 6.0 | 402 | 6.2 | 402 | 13.4 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 106 | 5.7 | 106 | 2.8 | 106 | 18.9 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 179 | 7.3 | 179 | 8.4 | 179 | 8.4 | 179 | 15.1 | 8.4 |
| Total | 687 | 6.3 | 687 | 6.3 | 687 | 13.0 | 179 | 15.1 | 8.4 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 273 | 9.9 | 273 | 7.7 | 273 | 18.7 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 55 | * | 55 | * | 55 | * | 0 | * | * |
| 24 - 59 Months | 153 | 5.2 | 153 | 5.9 | 153 | 17.0 | 153 | 15.0 | 17.0 |
| Total | 481 | 7.9 | 481 | 6.2 | 481 | 18.1 | 153 | 15.0 | 17.0 |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 21,691 | 6.9 | 21,691 | 4.5 | 21,691 | 18.1 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 4,949 | 6.8 | 4,949 | 3.1 | 4,949 | 23.8 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 12,056 | 3.8 | 12,056 | 4.3 | 12,056 | 17.9 | 12,056 | 16.7 | 17.9 |
| Total | 38,696 | 5.9 | 38,696 | 4.2 | 38,696 | 18.8 | 12,056 | 16.7 | 17.9 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 7 | * | 7 | * | 7 | * | 0 | * | * |
| 12 - 23 Months | 0 | * | 0 | * | 0 | * | 0 | * | * |
| 24 - 59 Months | 8 | * | 8 | * | 8 | * | 8 | * | * |
| Total | 15 | * | 15 | * | 15 | * | 8 | * | * |

State: California



Page:

Run Date:

8/30/2005

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. East

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 095

| | G | rowth Inc | licators by F | Race/Ethn | icity and A | ge ⁽³⁾ | | | | |
|------------------------------|-----------------|----------------------|---------------|-----------------|-------------|-------------------|--------|------------------------|------------|--|
| | Short St (4) | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th | |
| Asian/Pacific Islander | | | | | | | | | | |
| 0 - 11 Months | 1,112 | 4.9 | 1,112 | 4.6 | 1,112 | 12.6 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 148 | 6.1 | 148 | 4.7 | 148 | 8.8 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 368 | 5.2 | 368 | 6.5 | 368 | 12.5 | 368 | 10.6 | 12.5 | |
| Total | 1,628 | 5.1 | 1,628 | 5.0 | 1,628 | 12.2 | 368 | 10.6 | 12.5 | |
| All Other/Unknown | | | | | | | | | | |
| 0 - 11 Months | 1,593 | 8.7 | 1,593 | 5.3 | 1,593 | 11.6 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 237 | 6.3 | 237 | 5.1 | 237 | 20.3 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 440 | 5.7 | 440 | 5.9 | 440 | 16.1 | 440 | 15.5 | 16.1 | |
| Total | 2,270 | 7.8 | 2,270 | 5.4 | 2,270 | 13.4 | 440 | 15.5 | 16.1 | |
| Total All Race/Ethnic Groups | | | | | | | | | | |
| 0 - 11 Months | 25,078 | 6.9 | 25,078 | 4.6 | 25,078 | 17.3 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 5,495 | 6.7 | 5,495 | 3.1 | 5,495 | 23.1 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 13,204 | 4.0 | 13,204 | 4.5 | 13,204 | 17.6 | 13,204 | 16.5 | 17.6 | |
| Total | 43,777 | 6.0 | 43,777 | 4.4 | 43,777 | 18.1 | 13,204 | 16.5 | 17.6 | |



Page:

Run Date: 8/30/2005

2

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. North

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 094

| | G | rowth Inc | licators by | Race/Ethn | icity and A | ge ⁽³⁾ | | | |
|--------------------------------|--------|----------------------|-------------|--------------------|-------------|-------------------|--------|------------------------|------------|
| | | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 1,021 | 4.6 | 1,021 | 9.2 | 1,021 | 10.3 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 226 | 6.6 | 226 | 3.1 | 226 | 17.7 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 387 | 4.1 | 387 | 3.9 | 387 | 17.1 | 387 | 16.8 | 17.1 |
| Total | 1,634 | 4.8 | 1,634 | 7.1 | 1,634 | 12.9 | 387 | 16.8 | 17.1 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 556 | 9.2 | 556 | 10.4 | 556 | 13.1 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 126 | 8.7 | 126 | 4.8 | 126 | 21.4 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 255 | 5.5 | 255 | 9.4 | 255 | 10.2 | 255 | 11.4 | 10.2 |
| Total | 937 | 8.1 | 937 | 9.4 | 937 | 13.4 | 255 | 11.4 | 10.2 |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 9,637 | 6.0 | 9,637 | 5.2 | 9,637 | 16.6 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 2,294 | 7.6 | 2,294 | 3.4 | 2,294 | 24.2 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 7,139 | 8.3 | 7,139 | 3.5 | 7,139 | 24.1 | 7,139 | 17.7 | 24.1 |
| Total | 19,070 | 7.1 | 19,070 | 4.3 | 19,070 | 20.3 | 7,139 | 17.7 | 24.1 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 10 | * | 10 | * | 10 | * | 0 | * | * |
| 12 - 23 Months | 4 | * | 4 | * | 4 | * | 0 | * | * |
| 24 - 59 Months | 7 | * | 7 | * | 7 | * | 7 | * | * |
| Total | 21 | * | 21 | * | 21 | * | 7 | * | * |



Page:

Run Date:

8/30/2005

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. North

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 2 Run Date: 8/30/2005

County: 094

| | G | rowth Ind | licators by I | Race/Ethn | icity and A | ge ⁽³⁾ | | | |
|------------------------------|-----------------|----------------------|---------------|-----------------|-------------|--------------------|------------------------|-------------------|------------|
| | Short St (4) | Short Stature (4) | | Underweight (5) | | ight | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % <u>≥</u> 95th | Number | % 85th - <95th | % ≥95th |
| Asian/Pacific Islander | | | | | | | | | |
| 0 - 11 Months | 488 | 2.5 | 488 | 5.3 | 488 | 11.5 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 105 | 1.9 | 105 | 4.8 | 105 | 12.4 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 136 | 3.7 | 136 | 5.1 | 136 | 7.4 | 136 | 11.8 | 7.4 |
| Total | 729 | 2.6 | 729 | 5.2 | 729 | 10.8 | 136 | 11.8 | 7.4 |
| All Other/Unknown | | | | | | | | | |
| 0 - 11 Months | 3,391 | 5.5 | 3,391 | 3.6 | 3,391 | 13.4 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 451 | 6.2 | 451 | 1.6 | 451 | 18.4 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 677 | 6.6 | 677 | 5.8 | 677 | 15.8 | 677 | 16.8 | 15.8 |
| Total | 4,519 | 5.7 | 4,519 | 3.7 | 4,519 | 14.3 | 677 | 16.8 | 15.8 |
| Total All Race/Ethnic Groups | | | | | | | | | |
| 0 - 11 Months | 15,103 | 5.8 | 15,103 | 5.3 | 15,103 | 15.1 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 3,206 | 7.2 | 3,206 | 3.3 | 3,206 | 22.4 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 8,601 | 7.8 | 8,601 | 3.9 | 8,601 | 22.5 | 8,601 | 17.3 | 22.5 |
| Total | 26,910 | 6.6 | 26,910 | 4.6 | 26,910 | 18.3 | 8,601 | 17.3 | 22.5 |

State: California

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. Other

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 097

| | G | rowth Inc | licators by I | Race/Ethn | icity and A | ge ⁽³⁾ | | | |
|--------------------------------|---------|----------------------|---------------|--------------------|-------------|-------------------|--------|------------------------|------------|
| | | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 1,721 | 5.4 | 1,721 | 7.7 | 1,721 | 11.6 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 1,547 | 3.1 | 1,547 | 4.1 | 1,547 | 16.7 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 2,823 | 2.9 | 2,823 | 4.5 | 2,823 | 13.0 | 2,823 | 15.4 | 13.0 |
| Total | 6,091 | 3.6 | 6,091 | 5.3 | 6,091 | 13.5 | 2,823 | 15.4 | 13.0 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 3,022 | 8.8 | 3,022 | 6.3 | 3,022 | 15.7 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 2,828 | 5.5 | 2,828 | 4.8 | 2,828 | 17.4 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 5,928 | 3.5 | 5,928 | 6.3 | 5,928 | 13.3 | 5,928 | 14.7 | 13.3 |
| Total | 11,778 | 5.3 | 11,778 | 6.0 | 11,778 | 14.9 | 5,928 | 14.7 | 13.3 |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 29,313 | 5.2 | 29,313 | 4.3 | 29,313 | 17.2 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 31,132 | 5.0 | 31,132 | 3.0 | 31,132 | 21.7 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 63,859 | 2.7 | 63,859 | 3.9 | 63,859 | 19.4 | 63,859 | 16.7 | 19.4 |
| Total | 124,304 | 3.9 | 124,304 | 3.8 | 124,304 | 19.5 | 63,859 | 16.7 | 19.4 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 29 | * | 29 | * | 29 | * | 0 | * | * |
| 12 - 23 Months | 22 | * | 22 | * | 22 | * | 0 | * | * |
| 24 - 59 Months | 45 | * | 45 | * | 45 | * | 45 | * | * |
| Total | 96 | * | 96 | * | 96 | * | 45 | * | * |



Page:

Run Date:

8/30/2005

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. Other

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 097

| | G | rowth Inc | licators by F | Race/Ethn | icity and A | ge ⁽³⁾ | | | | |
|------------------------------|-----------------|----------------------|---------------|-----------------|-------------|--------------------|--------|------------------------|------------|--|
| | Short St (4) | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % <u>≥</u> 95th | Number | % 85th - <95th | % ≥95th | |
| Asian/Pacific Islander | | | | | | | | | | |
| 0 - 11 Months | 1,336 | 4.7 | 1,336 | 5.7 | 1,336 | 10.9 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 1,292 | 5.5 | 1,292 | 5.0 | 1,292 | 11.5 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 2,318 | 3.4 | 2,318 | 5.8 | 2,318 | 12.5 | 2,318 | 13.8 | 12.5 | |
| Total | 4,946 | 4.3 | 4,946 | 5.6 | 4,946 | 11.8 | 2,318 | 13.8 | 12.5 | |
| All Other/Unknown | | | | | | | | | | |
| 0 - 11 Months | 4,846 | 5.3 | 4,846 | 9.8 | 4,846 | 11.4 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 3,604 | 4.4 | 3,604 | 4.7 | 3,604 | 17.2 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 6,423 | 3.8 | 6,423 | 4.8 | 6,423 | 16.2 | 6,423 | 16.2 | 16.2 | |
| Total | 14,873 | 4.4 | 14,873 | 6.4 | 14,873 | 14.9 | 6,423 | 16.2 | 16.2 | |
| Total All Race/Ethnic Groups | | | | | | | | | | |
| 0 - 11 Months | 40,267 | 5.5 | 40,267 | 5.3 | 40,267 | 16.0 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 40,425 | 4.9 | 40,425 | 3.4 | 40,425 | 20.5 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 81,396 | 2.9 | 81,396 | 4.2 | 81,396 | 18.3 | 81,396 | 16.4 | 18.3 | |
| Total | 162,088 | 4.0 | 162,088 | 4.3 | 162,088 | 18.3 | 81,396 | 16.4 | 18.3 | |



Page:

Run Date: 8/30/2005

2

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. South

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 1 Run Date: 8/30/2005

County: 096

| | G | arowth Inc | licators by F | Race/Ethn | icity and A | ge ⁽³⁾ | | | |
|--|--|-----------------------------------|--|---------------------------------|--|-------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| | | Short Stature (4) | | Underweight (5) | | ight | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months | 248 63 144 | 6.9 * 4.9 | 248 63 144 | 6.5 * 2.8 | 248 63 144 | 11.7 * 16.7 | 0 0 144 | 0.0 * 15.3 | 0.0 * 16.7 |
| Total | 455 | 6.2 | 455 | 5.1 | 455 | 14.1 | 144 | 15.3 | 16.7 |
| Black, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months | 2,180 368 818 3,366 | 12.9 8.7 3.2 10.1 | 2,180 368 818 3,366 | 4.4 4.3 7.6 5.2 | 2,180 368 818 3,366 | 16.8 22.0 11.9 16.2 | 0 0 818 818 | 0.0 0.0 11.5 11.5 | 0.0 0.0 11.9 11.9 |
| Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months Total | 21,158 4,922 11,958 38,038 | 6.7 6.6 4.1 5.9 | 21,158 4,922 11,958 38,038 | 4.1 2.5 4.3 4.0 | 21,158 4,922 11,958 38,038 | 18.4 24.1 18.1 19.0 | 0 0 11,958 11,958 | 0.0 0.0 16.7 16.7 | 0.0 0.0 18.1 18.1 |
| American Indian/Alaskan Native 0 - 11 Months 12 - 23 Months 24 - 59 Months Total | 7 4 5 16 | * * * | 7 4 5 16 | * * * | 7 4 5 16 | * * * | 0 0 5 5 | * * * | * * * |

State: California



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. South

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 096

| | G | rowth Inc | licators by F | Race/Ethn | icity and A | ge ⁽³⁾ | | | | |
|------------------------------|-----------------|----------------------|---------------|--------------------|-------------|-------------------|--------|------------------------|------------|--|
| | Short St (4) | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th | |
| Asian/Pacific Islander | | | | | | | | | | |
| 0 - 11 Months | 514 | 2.7 | 514 | 3.9 | 514 | 11.3 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 101 | 0.0 | 101 | 5.9 | 101 | 12.9 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 215 | 4.2 | 215 | 5.6 | 215 | 10.2 | 215 | 12.6 | 10.2 | |
| Total | 830 | 2.8 | 830 | 4.6 | 830 | 11.2 | 215 | 12.6 | 10.2 | |
| All Other/Unknown | | | | | | | | | | |
| 0 - 11 Months | 1,830 | 7.6 | 1,830 | 4.8 | 1,830 | 16.0 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 384 | 7.8 | 384 | 4.7 | 384 | 19.5 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 915 | 4.5 | 915 | 4.2 | 915 | 15.7 | 915 | 16.2 | 15.7 | |
| Total | 3,129 | 6.7 | 3,129 | 4.6 | 3,129 | 16.4 | 915 | 16.2 | 15.7 | |
| Total All Race/Ethnic Groups | | | | | | | | | | |
| 0 - 11 Months | 25,937 | 7.2 | 25,937 | 4.2 | 25,937 | 17.9 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 5,842 | 6.7 | 5,842 | 2.8 | 5,842 | 23.4 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 14,055 | 4.1 | 14,055 | 4.5 | 14,055 | 17.4 | 14,055 | 16.3 | 17.4 | |
| Total | 45,834 | 6.2 | 45,834 | 4.1 | 45,834 | 18.4 | 14,055 | 16.3 | 17.4 | |



Page:

Run Date: 8/30/2005

2

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. West

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 093

Page:

Run Date:

8/30/2005

| | G | arowth Inc | licators by | Race/Ethn | icity and A | ge ⁽³⁾ | | | | |
|--------------------------------|--------|----------------------|-------------|--------------------|-------------|-------------------|--------|------------------------|------------|--|
| | | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th | |
| White, Not Hispanic | | | | | | | | | | |
| 0 - 11 Months | 276 | 4.7 | 276 | 13.0 | 276 | 9.4 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 68 | * | 68 | * | 68 | * | 0 | * | * | |
| 24 - 59 Months | 107 | 4.7 | 107 | 3.7 | 107 | 18.7 | 107 | 12.1 | 18.7 | |
| Total | 451 | 4.7 | 451 | 10.2 | 451 | 13.1 | 107 | 12.1 | 18.7 | |
| Black, Not Hispanic | | | | | | | | | | |
| 0 - 11 Months | 1,142 | 11.8 | 1,142 | 5.3 | 1,142 | 17.1 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 280 | 11.4 | 280 | 4.6 | 280 | 17.9 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 521 | 4.0 | 521 | 4.4 | 521 | 14.0 | 521 | 14.0 | 14.0 | |
| Total | 1,943 | 9.7 | 1,943 | 4.9 | 1,943 | 16.4 | 521 | 14.0 | 14.0 | |
| Hispanic | | | | | | | | | | |
| 0 - 11 Months | 4,150 | 5.1 | 4,150 | 4.5 | 4,150 | 17.1 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 1,062 | 7.4 | 1,062 | 2.8 | 1,062 | 21.7 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 2,346 | 4.4 | 2,346 | 2.8 | 2,346 | 19.9 | 2,346 | 18.2 | 19.9 | |
| Total | 7,558 | 5.2 | 7,558 | 3.7 | 7,558 | 18.6 | 2,346 | 18.2 | 19.9 | |
| American Indian/Alaskan Native | | | | | | | | | | |
| 0 - 11 Months | 5 | * | 5 | * | 5 | * | 0 | * | * | |
| 12 - 23 Months | 2 | * | 2 | * | 2 | * | 0 | * | * | |
| 24 - 59 Months | 1 | * | 1 | * | 1 | * | 1 | * | * | |
| Total | 8 | * | 8 | * | 8 | * | 1 | * | * | |

State: California



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2004 Pediatric Nutrition Surveillance (1) L.A. West

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 093

| | G | rowth Inc | licators by I | Race/Ethn | icity and A | ge ⁽³⁾ | | | | |
|------------------------------|-----------------|----------------------|---------------|--------------------|-------------|-------------------|--------|------------------------|------------|--|
| | Short St (4) | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th | |
| Asian/Pacific Islander | | | | | | | | | | |
| 0 - 11 Months | 119 | 6.7 | 119 | 5.9 | 119 | 15.1 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 28 | * | 28 | * | 28 | * | 0 | * | * | |
| 24 - 59 Months | 73 | * | 73 | * | 73 | * | 73 | * | * | |
| Total | 220 | 7.3 | 220 | 4.5 | 220 | 15.0 | 73 | * | * | |
| All Other/Unknown | | | | | | | | | | |
| 0 - 11 Months | 471 | 4.7 | 471 | 7.2 | 471 | 12.3 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 96 | * | 96 | * | 96 | * | 0 | * | * | |
| 24 - 59 Months | 178 | 5.6 | 178 | 6.7 | 178 | 14.6 | 178 | 15.2 | 14.6 | |
| Total | 745 | 5.4 | 745 | 6.6 | 745 | 14.5 | 178 | 15.2 | 14.6 | |
| Total All Race/Ethnic Groups | | | | | | | | | | |
| 0 - 11 Months | 6,163 | 6.3 | 6,163 | 5.2 | 6,163 | 16.3 | 0 | 0.0 | 0.0 | |
| 12 - 23 Months | 1,536 | 8.1 | 1,536 | 3.4 | 1,536 | 21.0 | 0 | 0.0 | 0.0 | |
| 24 - 59 Months | 3,226 | 4.5 | 3,226 | 3.3 | 3,226 | 18.5 | 3,226 | 17.1 | 18.5 | |
| Total | 10,925 | 6.1 | 10,925 | 4.4 | 10,925 | 17.6 | 3,226 | 17.1 | 18.5 | |



Page:

Run Date: 8/30/2005

2

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

California Standard Year (School Age Coding) County: 095 State:

| | Growth Indi | cators by | Race/Ethnic | city and A | .ge (3) | | |
|---------------------|-------------|-----------|---------------|------------|----------------|-------------------|--------------------|
| | Short St | | Underw (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>≥</u> 95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 141 | 4.3 | 141 | 3.5 | 141 | 14.9 | 12.8 |
| 9 - 11 Years | 79 | * | 79 | * | 79 | * | * |
| 12 - 14 years | 92 | * | 92 | * | 92 | * | * |
| 15 - 19 Years | 66 | * | 66 | * | 66 | * | * |
| Total | 378 | 7.7 | 378 | 2.4 | 378 | 16.9 | 16.7 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 147 | 4.8 | 147 | 3.4 | 147 | 14.3 | 14.3 |
| 9 - 11 Years | 84 | * | 84 | * | 84 | * | * |
| 12 - 14 years | 95 | * | 95 | * | 95 | * | * |
| 15 - 19 Years | 93 | * | 93 | * | 93 | * | * |
| Total | 419 | 4.5 | 419 | 3.1 | 419 | 15.3 | 17.7 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 9,442 | 4.3 | 9,442 | 3.5 | 9,442 | 16.3 | 19.7 |
| 9 - 11 Years | 5,457 | 4.9 | 5,457 | 2.6 | 5,457 | 19.7 | 24.3 |
| 12 - 14 years | 4,997 | 6.9 | 4,997 | 2.1 | 4,997 | 21.1 | 23.9 |
| 15 - 19 Years | 4,321 | 9.8 | 4,321 | 2.1 | 4,321 | 18.8 | 19.7 |
| Total | 24,217 | 5.9 | 24,217 | 2.8 | 24,217 | 18.5 | 21.6 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

California Standard Year (School Age Coding) State: County: 095

| | Growth Ind | icators by | Race/Ethni | city and A | ge ⁽³⁾ | | |
|--------------------------------|------------|------------|---------------|------------|-------------------|-------------------|-----------------------|
| | Short S | | Underw (5) | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>></u> 95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * | * |
| Total | 12 | * | 12 | * | 12 | * | * |
| Asian/Pacific Islander | | | | | | | |
| 5 - 8 Years | 280 | 6.1 | 280 | 7.1 | 280 | 11.1 | 11.4 |
| 9 - 11 Years | 163 | 4.9 | 163 | 6.1 | 163 | 13.5 | 9.2 |
| 12 - 14 years | 136 | 6.6 | 136 | 5.1 | 136 | 15.4 | 8.8 |
| 15 - 19 Years | 128 | 14.8 | 128 | 3.9 | 128 | 12.5 | 11.7 |
| Total | 707 | 7.5 | 707 | 5.9 | 707 | 12.7 | 10.5 |
| All Other/Unknown | | | | | | | |
| 5 - 8 Years | 327 | 5.2 | 327 | 3.4 | 327 | 17.1 | 16.2 |
| 9 - 11 Years | 178 | 9.0 | 178 | 5.1 | 178 | 19.1 | 18.5 |
| 12 - 14 years | 133 | 8.3 | 133 | 6.0 | 133 | 16.5 | 25.6 |
| 15 - 19 Years | 124 | 10.5 | 124 | 3.2 | 124 | 25.0 | 14.5 |
| Total | 762 | 7.5 | 762 | 4.2 | 762 | 18.8 | 18.1 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|----------------|-------------------|------------|--|--|--|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th | | | |
| Total All Race/Ethnic Groups | | | | | | | | | | |
| 5 - 8 Years | 10,341 | 4.4 | 10,341 | 3.6 | 10,341 | 16.1 | 19.2 | | | |
| 9 - 11 Years | 5,963 | 4.9 | 5,963 | 2.8 | 5,963 | 19.5 | 23.5 | | | |
| 12 - 14 years | 5,455 | 6.9 | 5,455 | 2.3 | 5,455 | 20.8 | 23.3 | | | |
| 15 - 19 Years | 4,736 | 9.9 | 4,736 | 2.1 | 4,736 | 18.6 | 19.5 | | | |
| Total | 26,495 | 6.0 | 26,495 | 2.9 | 26,495 | 18.3 | 21.1 | | | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

California Standard Year (School Age Coding) State: County: 094

| | Growth Indi | icators by | Race/Ethnic | city and A | ge ⁽³⁾ | | | |
|---------------------|-------------|------------|---------------|------------|-------------------|-------------------|-----------------------|--|
| | Short S | | Underw (5) | • | Overweight (5) | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>></u> 95th | |
| White, Not Hispanic | | | | | | | | |
| 5 - 8 Years | 277 | 7.6 | 277 | 4.3 | 277 | 15.5 | 15.9 | |
| 9 - 11 Years | 168 | 6.5 | 168 | 4.2 | 168 | 15.5 | 19.6 | |
| 12 - 14 years | 152 | 7.9 | 152 | 2.6 | 152 | 16.4 | 23.7 | |
| 15 - 19 Years | 111 | 10.8 | 111 | 0.9 | 111 | 21.6 | 15.3 | |
| Total | 708 | 7.9 | 708 | 3.4 | 708 | 16.7 | 18.4 | |
| Black, Not Hispanic | | | | | | | | |
| 5 - 8 Years | 246 | 3.7 | 246 | 6.9 | 246 | 17.5 | 12.6 | |
| 9 - 11 Years | 167 | 4.8 | 167 | 1.8 | 167 | 15.6 | 21.0 | |
| 12 - 14 years | 211 | 7.6 | 211 | 0.9 | 211 | 16.1 | 18.5 | |
| 15 - 19 Years | 173 | 4.0 | 173 | 2.3 | 173 | 17.9 | 17.3 | |
| Total | 797 | 5.0 | 797 | 3.3 | 797 | 16.8 | 16.9 | |
| Hispanic | | | | | | | | |
| 5 - 8 Years | 7,218 | 5.8 | 7,218 | 2.7 | 7,218 | 17.2 | 22.0 | |
| 9 - 11 Years | 4,657 | 6.6 | 4,657 | 2.6 | 4,657 | 20.3 | 23.0 | |
| 12 - 14 years | 4,078 | 6.7 | 4,078 | 1.4 | 4,078 | 22.4 | 17.6 | |
| 15 - 19 Years | 3,332 | 13.8 | 3,332 | 1.4 | 3,332 | 18.1 | 15.9 | |
| Total | 19,285 | 7.6 | 19,285 | 2.2 | 19,285 | 19.2 | 20.2 | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

California Standard Year (School Age Coding) State: County: 094

| | Growth Indi | icators by | Race/Ethni | city and A | ge ⁽³⁾ | | |
|--------------------------------|-------------------------------|------------|----------------|------------|-------------------|-------------------|------------|
| | Short Stature Underweight (5) | | Overweight (5) | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 13 | * | 13 | * | 13 | * | * |
| Asian/Pacific Islander | | | | | | | |
| 5 - 8 Years | 82 | * | 82 | * | 82 | * | * |
| 9 - 11 Years | 58 | * | 58 | * | 58 | * | * |
| 12 - 14 years | 45 | * | 45 | * | 45 | * | * |
| 15 - 19 Years | 28 | * | 28 | * | 28 | * | * |
| Total | 213 | 7.0 | 213 | 4.2 | 213 | 16.0 | 17.4 |
| All Other/Unknown | | | | | | | |
| 5 - 8 Years | 399 | 5.0 | 399 | 4.8 | 399 | 18.0 | 19.0 |
| 9 - 11 Years | 188 | 6.9 | 188 | 2.7 | 188 | 19.1 | 18.6 |
| 12 - 14 years | 235 | 8.1 | 235 | 3.4 | 235 | 17.9 | 14.0 |
| 15 - 19 Years | 157 | 15.3 | 157 | 3.8 | 157 | 20.4 | 19.7 |
| Total | 979 | 7.8 | 979 | 3.9 | 979 | 18.6 | 17.9 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | | | | | |
|---|--------|----------------------|--------|--------------------|--------|-------------------|------------|--|--|--|--|
| | | Short Stature (4) | | Underweight (5) | | Overweight (5) | | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th | | | | |
| Total All Race/Ethnic Groups | | | | | | | | | | | |
| 5 - 8 Years | 8,228 | 5.7 | 8,228 | 3.0 | 8,228 | 17.2 | 21.3 | | | | |
| 9 - 11 Years | 5,242 | 6.5 | 5,242 | 2.6 | 5,242 | 20.0 | 22.7 | | | | |
| 12 - 14 years | 4,723 | 6.9 | 4,723 | 1.5 | 4,723 | 21.6 | 17.6 | | | | |
| 15 - 19 Years | 3,802 | 13.4 | 3,802 | 1.5 | 3,802 | 18.3 | 16.1 | | | | |
| Total | 21,995 | 7.5 | 21,995 | 2.3 | 21,995 | 19.0 | 19.9 | | | | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| | Growth Indi | cators by | Race/Ethnic | city and A | .ge (3) | | |
|---------------------|-------------|----------------------|-------------|------------|----------------|-------------------|-----------------------|
| | Short St | Short Stature (4) | | reight | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>></u> 95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 1,584 | 4.4 | 1,584 | 3.8 | 1,584 | 16.2 | 16.5 |
| 9 - 11 Years | 896 | 4.6 | 896 | 3.7 | 896 | 20.2 | 21.3 |
| 12 - 14 years | 897 | 3.6 | 897 | 3.3 | 897 | 17.9 | 21.0 |
| 15 - 19 Years | 573 | 4.7 | 573 | 2.1 | 573 | 21.8 | 14.5 |
| Total | 3,950 | 4.3 | 3,950 | 3.4 | 3,950 | 18.3 | 18.3 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 4,180 | 2.9 | 4,180 | 3.6 | 4,180 | 16.4 | 17.9 |
| 9 - 11 Years | 2,826 | 2.6 | 2,826 | 1.5 | 2,826 | 17.7 | 24.1 |
| 12 - 14 years | 2,738 | 4.5 | 2,738 | 1.5 | 2,738 | 18.6 | 25.5 |
| 15 - 19 Years | 1,822 | 6.0 | 1,822 | 1.4 | 1,822 | 17.3 | 22.2 |
| Total | 11,566 | 3.7 | 11,566 | 2.2 | 11,566 | 17.4 | 21.9 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 32,102 | 3.5 | 32,102 | 2.7 | 32,102 | 17.8 | 23.9 |
| 9 - 11 Years | 16,930 | 3.6 | 16,930 | 2.1 | 16,930 | 20.8 | 31.4 |
| 12 - 14 years | 13,875 | 5.6 | 13,875 | 1.4 | 13,875 | 20.6 | 30.3 |
| 15 - 19 Years | 7,950 | 8.7 | 7,950 | 1.7 | 7,950 | 19.4 | 24.5 |
| Total | 70,857 | 4.5 | 70,857 | 2.2 | 70,857 | 19.3 | 27.0 |



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| | Growth Indi | cators by | Race/Ethnic | city and A | .ge (3) | | |
|--------------------------------|-------------------|-----------|---------------|------------|----------------|-------------------|-----------------------|
| | Short Stature (4) | | Underw (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>></u> 95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 20 | * | 20 | * | 20 | * | * |
| 9 - 11 Years | 14 | * | 14 | * | 14 | * | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * | * |
| Total | 61 | * | 61 | * | 61 | * | * |
| Asian/Pacific Islander | | | | | | | |
| 5 - 8 Years | 992 | 5.5 | 992 | 4.3 | 992 | 13.2 | 16.1 |
| 9 - 11 Years | 650 | 4.5 | 650 | 6.0 | 650 | 16.5 | 18.0 |
| 12 - 14 years | 590 | 5.8 | 590 | 3.2 | 590 | 14.1 | 14.9 |
| 15 - 19 Years | 509 | 9.2 | 509 | 4.9 | 509 | 13.0 | 11.2 |
| Total | 2,741 | 6.0 | 2,741 | 4.6 | 2,741 | 14.1 | 15.4 |
| All Other/Unknown | | | | | | | |
| 5 - 8 Years | 3,353 | 4.0 | 3,353 | 3.8 | 3,353 | 16.6 | 21.5 |
| 9 - 11 Years | 1,858 | 4.5 | 1,858 | 2.9 | 1,858 | 19.2 | 25.7 |
| 12 - 14 years | 1,764 | 5.8 | 1,764 | 1.9 | 1,764 | 20.0 | 26.4 |
| 15 - 19 Years | 1,057 | 8.7 | 1,057 | 2.6 | 1,057 | 17.0 | 21.9 |
| Total | 8,032 | 5.1 | 8,032 | 3.0 | 8,032 | 18.0 | 23.6 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | | | | | |
|---|----------|----------------------|--------|-----------|----------------|-------------------|-----------------------|--|--|--|--|
| | Short St | Short Stature (4) | | eight | Overweight (5) | | | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>></u> 95th | | | | |
| Total All Race/Ethnic Groups | | | | | | | | | | | |
| 5 - 8 Years | 42,231 | 3.6 | 42,231 | 3.0 | 42,231 | 17.4 | 22.6 | | | | |
| 9 - 11 Years | 23,174 | 3.6 | 23,174 | 2.2 | 23,174 | 20.1 | 29.3 | | | | |
| 12 - 14 years | 19,879 | 5.4 | 19,879 | 1.6 | 19,879 | 20.0 | 28.4 | | | | |
| 15 - 19 Years | 11,923 | 8.1 | 11,923 | 1.9 | 11,923 | 18.7 | 22.9 | | | | |
| Total | 97,207 | 4.5 | 97,207 | 2.4 | 97,207 | 18.7 | 25.4 | | | | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| | Growth Indi | cators by | Race/Ethnic | city and A | .ge (3) | | |
|---------------------|-------------|----------------------|-------------|------------|----------------|-------------------|------------|
| | | Short Stature (4) | | eight | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 155 | 3.2 | 155 | 1.9 | 155 | 18.7 | 11.0 |
| 9 - 11 Years | 60 | * | 60 | * | 60 | * | * |
| 12 - 14 years | 71 | * | 71 | * | 71 | * | * |
| 15 - 19 Years | 51 | * | 51 | * | 51 | * | * |
| Total | 337 | 5.3 | 337 | 3.0 | 337 | 17.2 | 13.1 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 850 | 3.6 | 850 | 5.6 | 850 | 17.3 | 14.8 |
| 9 - 11 Years | 520 | 4.4 | 520 | 4.6 | 520 | 17.1 | 19.2 |
| 12 - 14 years | 516 | 5.8 | 516 | 1.9 | 516 | 19.0 | 21.9 |
| 15 - 19 Years | 394 | 3.6 | 394 | 1.8 | 394 | 19.0 | 19.3 |
| Total | 2,280 | 4.3 | 2,280 | 3.9 | 2,280 | 17.9 | 18.2 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 12,548 | 4.9 | 12,548 | 3.3 | 12,548 | 18.2 | 18.6 |
| 9 - 11 Years | 8,091 | 4.0 | 8,091 | 2.6 | 8,091 | 23.5 | 20.6 |
| 12 - 14 years | 8,357 | 5.0 | 8,357 | 1.8 | 8,357 | 19.2 | 15.7 |
| 15 - 19 Years | 5,659 | 14.8 | 5,659 | 1.7 | 5,659 | 18.3 | 16.1 |
| Total | 34,655 | 6.4 | 34,655 | 2.5 | 34,655 | 19.7 | 18.0 |



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| | Growth Indi | icators by | Race/Ethni | city and A | ge ⁽³⁾ | | |
|--------------------------------|-------------------|------------|---------------|------------|-------------------|-------------------|--------------------|
| | Short Stature (4) | | Underw (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>≥</u> 95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 12 | * | 12 | * | 12 | * | * |
| Asian/Pacific Islander | | | | | | | |
| 5 - 8 Years | 285 | 4.2 | 285 | 6.7 | 285 | 13.0 | 14.4 |
| 9 - 11 Years | 122 | 5.7 | 122 | 3.3 | 122 | 15.6 | 19.7 |
| 12 - 14 years | 125 | 8.8 | 125 | 3.2 | 125 | 15.2 | 14.4 |
| 15 - 19 Years | 127 | 11.0 | 127 | 7.9 | 127 | 7.9 | 12.6 |
| Total | 659 | 6.7 | 659 | 5.6 | 659 | 12.9 | 15.0 |
| All Other/Unknown | | | | | | | |
| 5 - 8 Years | 772 | 5.4 | 772 | 5.1 | 772 | 15.5 | 18.9 |
| 9 - 11 Years | 382 | 6.3 | 382 | 3.4 | 382 | 20.9 | 18.1 |
| 12 - 14 years | 377 | 5.6 | 377 | 1.9 | 377 | 20.4 | 21.5 |
| 15 - 19 Years | 272 | 9.2 | 272 | 2.6 | 272 | 16.2 | 16.9 |
| Total | 1,803 | 6.2 | 1,803 | 3.7 | 1,803 | 17.8 | 19.0 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|----------------|-------------------|------------|--|--|--|--|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th | | | | |
| Total All Race/Ethnic Groups | | | | | | | | | | | |
| 5 - 8 Years | 14,616 | 4.8 | 14,616 | 3.6 | 14,616 | 17.9 | 18.3 | | | | |
| 9 - 11 Years | 9,176 | 4.2 | 9,176 | 2.7 | 9,176 | 22.8 | 20.4 | | | | |
| 12 - 14 years | 9,449 | 5.2 | 9,449 | 1.9 | 9,449 | 19.2 | 16.3 | | | | |
| 15 - 19 Years | 6,505 | 13.8 | 6,505 | 1.8 | 6,505 | 18.0 | 16.2 | | | | |
| Total | 39,746 | 6.2 | 39,746 | 2.7 | 39,746 | 19.4 | 17.9 | | | | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| | Growth Indi | icators by | Race/Ethnic | city and A | .ge (3) | | |
|---------------------|-------------|----------------------|-------------|------------|----------------|-------------------|-----------------------|
| | | Short Stature (4) | | eight | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % <u>></u> 95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 79 | * | 79 | * | 79 | * | * |
| 9 - 11 Years | 48 | * | 48 | * | 48 | * | * |
| 12 - 14 years | 35 | * | 35 | * | 35 | * | * |
| 15 - 19 Years | 29 | * | 29 | * | 29 | * | * |
| Total | 191 | 5.2 | 191 | 3.7 | 191 | 13.6 | 19.4 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 451 | 4.2 | 451 | 4.2 | 451 | 15.7 | 16.0 |
| 9 - 11 Years | 352 | 3.1 | 352 | 3.7 | 352 | 17.0 | 19.3 |
| 12 - 14 years | 380 | 2.6 | 380 | 1.3 | 380 | 21.6 | 19.7 |
| 15 - 19 Years | 340 | 5.9 | 340 | 1.8 | 340 | 22.1 | 22.4 |
| Total | 1,523 | 3.9 | 1,523 | 2.8 | 1,523 | 18.9 | 19.1 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 1,717 | 4.4 | 1,717 | 2.2 | 1,717 | 17.3 | 22.5 |
| 9 - 11 Years | 909 | 4.4 | 909 | 2.0 | 909 | 19.6 | 28.4 |
| 12 - 14 years | 843 | 7.5 | 843 | 1.8 | 843 | 22.1 | 27.4 |
| 15 - 19 Years | 691 | 15.2 | 691 | 1.6 | 691 | 19.0 | 19.1 |
| Total | 4,160 | 6.8 | 4,160 | 1.9 | 4,160 | 19.0 | 24.2 |



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

 ⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
 (5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| | Growth Indi | cators by | Race/Ethni | city and A | ge (3) | | |
|--------------------------------|-------------------|-----------|---------------|------------|----------------|-------------------|------------|
| | Short Stature (4) | | Underw (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 5 | * | 5 | * | 5 | * | * |
| Asian/Pacific Islander | | | | | | | |
| 5 - 8 Years | 61 | * | 61 | * | 61 | * | * |
| 9 - 11 Years | 21 | * | 21 | * | 21 | * | * |
| 12 - 14 years | 20 | * | 20 | * | 20 | * | * |
| 15 - 19 Years | 18 | * | 18 | * | 18 | * | * |
| Total | 120 | 5.0 | 120 | 2.5 | 120 | 15.0 | 25.8 |
| All Other/Unknown | | | | | | | |
| 5 - 8 Years | 130 | 7.7 | 130 | 2.3 | 130 | 18.5 | 14.6 |
| 9 - 11 Years | 67 | * | 67 | * | 67 | * | * |
| 12 - 14 years | 73 | * | 73 | * | 73 | * | * |
| 15 - 19 Years | 46 | * | 46 | * | 46 | * | * |
| Total | 316 | 7.3 | 316 | 2.2 | 316 | 17.4 | 19.0 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|---|-------------------|-----------|-----------------|-----------|----------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 2,441 | 4.4 | 2,441 | 2.7 | 2,441 | 17.0 | 20.8 |
| 9 - 11 Years | 1,397 | 4.2 | 1,397 | 2.4 | 1,397 | 18.5 | 25.7 |
| 12 - 14 years | 1,351 | 6.0 | 1,351 | 1.6 | 1,351 | 21.4 | 24.9 |
| 15 - 19 Years | 1,126 | 12.1 | 1,126 | 1.7 | 1,126 | 19.2 | 20.0 |
| Total | 6,315 | 6.1 | 6,315 | 2.2 | 6,315 | 18.7 | 22.6 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.